BIBLIOGRAPHY/REFERENCES

1] Adisasmita, A., Deviany, P E., Nandiaty, F., Stanton, C., and Ronsmans, C., (2008). Obstetric near miss and deaths in public and private hospitals in Indonesia.BMC Pregnancy and Childbirth.

2] Adler, A. J., Filippi, V., Thomas, S. L., and Ronsmans. C., (2012). Incidence of severe acute maternal morbidity associated with abortion: a systematic review. Tropical Medicine and International Health, 17(2), 177-190.

3] Altius directory. International day for older persons.Retrived from: http://www.altiusdirectory.com/Society/international-day-older-persons.php.

4] Al-Zirqi, I., Vangen, S., Forsen, L., Stray-Pedersena, B., (2008).Prevalence and risk factors of severe obstetric haemorrhage. BJOG An International Journal of Obstetrics and Gynaecology, 115, 1265-1272.

5] Almerie, Y., Almerie, M. Q., Matar, H. E., Shahrour, Y., Al Chamat, A. A., Abdulsalam, A., (2010). Obstetric near-miss and maternal mortality in maternity university hospital, Damascus, Syria: a retrospective study. BMC Pregnancy and Childbirth.

6] Arora P. (2005). Maternal Mortality – Indian Scenario. Medical Journal Armed Forces India, 61(3), (0377-1237), 214-215.

7] Barnagarwala, T. (2017, May 10), Maternal mortality: More women dying of blood pressure-induced convulsions, says report. The Indian Express.

8] Baskett, T. F., Sternadel. J., (1998).Maternal intensive care and near-miss mortality in obstetrics. British Journal of Obstetrics and Gynaecology, 105, 981-984.

9] Berg C, Danel I, Mora G, (1998), Guidelines for maternal mortality epidemiological surveillance. Washington DC., (9275122075).

10] Bhattacharyya, S., Srivastava, A., and Knight. M., (2014). Developing a framework to review near-miss maternal morbidity in India: a structured review and key stakeholder analysis, BMC Health Services Research.

11] Brabin, B. J., Hakimi, M., and Pelletier, D., (2001). An Analysis of Anemia and Pregnancy-Related Maternal Mortality. American Society for Nutritional Sciences, 131, 604-615.

12]Brace, V., Penney, G., Hall, M., (2004). Quantifying severe maternal morbidity: a Scottish population study. BJOG: an International Journal of Obstetrics and Gynaecology, 111, 481-484.

13] Cecatti, J. G., Souza, J. P., Neto, A. O., Parpinelli, M. A., Sousa, M. H., Say, L., and

Pattinson, R. C., (2011). Pre-validation of the WHO organ dysfunction based criteria for identification of maternal near miss. Reproductive health.

14] Deller, B., Tripathi, V., Stender, S., Otolorin, E., Johnson, P., Carr, C., (2015). Task shifting in maternal and newborn health care: Key components from policy to implementation.International Journal of Gynecology and Obstetrics, S25 – S31.

15] Ensor, T., Green, C., Quigley, P., Badru, A. R., Kaluba, D., &Kureya, T., (2014). Mobilizing communities to improve maternal health: results of an intervention in rural Zambia. Bull World Health Organ, 92, 51-59.

16] Ganatra,B. R., Coyaji,K. J., &Rao. V. N., (1998). Too far, too little, too late: a community-based case-control study of maternal mortality in rural west Maharashtra, India. Bulletin of the World Health Organization, 76 (6), 591-598.

17] Galvão, L. P. L., Pereira, F. A., Mendonça, C. M., Menezes, F. E. F., Góis, K. N., RibeiroJr, R. F., and Gurgel. R. Q., (2014). The prevalence of severe maternal morbidity and near miss and associated factors in Sergipe, Northeast Brazil.BMC pregnancy and childbirth, 1-8.

18] Geller, S. E., Cox, S. M.., and Kilpatrick. S. J., (2006). A descriptive model of preventability in maternal morbidity and mortality. Journal of Perinatology, 26, 79-84.

19] Global citizen, Introduction to the challenges for maternal health, (18th October 2012), Global Proverty Project, retrived from https://www.globalcitizen.org/en/content/introduction-to-the-challenges-for-maternal-health/

20] Gulmezoglu, A. M., Say, L., Betran, A. P., Villar, J., Piaggio, G., (2004). WHO systematic review of maternal mortality and morbidity: methodological issues and challenges, BMC Medical Research Methodology, (1471 - 2288), 16(4).

21] Gupta M C, Mahajan B K. (2003) Textbook of preventive and social medicine (3rd edition). New Delhi: Jaypee Publications Ltd.

22] Haver, J., Brieger, W., Zoungrana, J., Ansari, N., Kagoma, J., (2015). Experiences engaging community health workers to provide maternal and newborn health services: Implementation of four programs. International Journal of Gynecology and Obstetrics, S32 – S39.

23] Huntington, D., Banzon, E., &Recidoro, Z. D., (2012). A systems approach to improving maternal health in the Philippines. Bull World Health Organ, 90, 104-110.

24] Kalra, P., Kachhwaha, C. P., (2018). Obstetric Near Miss Morbidity and Maternal Mortality in a Tertiary Care Centre in Western Rajasthan. Indian Journal of Public Health, 58 (3), 199-201.

25] Kumar S, Srivastava N, (2015). Rising maternal mortality in Mumbai Metropolitan Region: Need for Action. MGMJ Med sci, 2(4), (10036- 1072), 198-201.

26] Kuruvilla, S., Schweitzer, J., Bishai, D., Chowdhury, S., Caramani, D., Frost, L.,.Bustreo, F., (2014). Success factors for reducing maternal and child mortality. Bull World Health Organ, 533-544.

27] Liyew, E. F., Yalew, A. W., Afework, M. F., Essen. B., (2017).Incidence and causes of maternal near-miss in selected hospitals of Addis Ababa, Ethiopia.PLOS ONE.

28] Langlois, E. V., Miszkurka, M., Zunzunegui, M. V., Ghaffar, A., Ziegler, D., &Karp, I., (2015). Inequities in postnatal care in low- and middle-income countries: a systematic review and meta-analysis. Bull World Health Organ, 93, 259-270.

29] Marwah, S., Sharma, M., (2017). Maternal near miss review: a brief appraisal. International Journal of Reproduction, Contraception, Obstetrics and Gynecology, 6(5), 1703-6.

30] Maswime, S., Buchmann, E., (2017). A systematic review of maternal near miss and mortality due to postpartum hemorrhage, International Journal of Gynaecology & Obstetrics, 1-7.

31] Mpembeni, R. N. M., Killewo, J. Z., Leshabari, M. T., Massawe, S. N., Jahn, A., Mushi, D., and Mwakipa, H., (2007). Use pattern of maternal health services and determinants of skilled care during delivery in Southern Tanzania: implications for achievement of MDG-5 targets. BMC Pregnancy and Childbirth, 29(7).

32] Necochea, E., Tripathi, V., Kim, Y. M., Akrama, N., Hyjazi, Y., Vaz, M. L., ...Bishanga, D., (2015). Implementation of the Standards-Based Management and Recognition approach to quality improvement in maternal, newborn, and child health programs in low-resource countries.International Journal of Gynecology and Obstetrics, S17 –S24.

33] Nelissen, E., Mduma, E., Broerse, J., Ersdal, H., Evjen-Olsen, B., Roosmalen, J. V., Stekelenburg, J., (2013). Applicability of the WHO Maternal Near Miss Criteria in a Low-Resource Setting.PLoS ONE, 8(4).

34] Oladapo, O. T., Adetoro, O. O., Fakeye, O., Ekele, B. A., Fawole, A. O., Abasiattai, A., ...Dada, O. A., (2009). National data system on near miss and maternal death: shifting from maternal risk to public health impact in Nigeria. BMC reproductive health.

35] Oladapo, O. T., Sule-Odu, A. O., Adetola O Olatunji, A O., and Daniel, O J., (2005). Near-miss obstetric events and maternal deaths in Sagamu, Nigeria: a retrospective study. BMC

reproductive health.

36] Reeder, Martin, Koniak-Griffin (2014) Maternity nursing (19th edition). New Delhi: Wolters Kluwer India Pvt Ltd.

37] Roopa, P. S., Verma, S., Rai, L., Kumar, P., Pai, M. V., and Shetty.J., (2013). ‘‘Near Miss’’ Obstetric Events and Maternal Deaths in a Tertiary Care Hospital: An Audit. Hindawi Publishing Corporation Journal of Pregnancy.

38] Say L &Raine R. (2007). A systematic review of inequalities in the use of maternal health care in developing countries: examining the scale of the problem and the importance of context. Bulletin of the World Health Organization, 85 (10), 812-819.

39] Say, L., Pattinson, R C., Gulmezoglu, A M., (2004). WHO systematic review of maternal morbidity and mortality: the prevalence of severe acute maternal morbidity (near miss). BMC reproductive health.

40] Shrestha, N S., Saha, R., Karki, C., (2010). Near miss maternal morbidity and maternal mortality at Kathmandu Medical College Teaching Hospital. Kathmandu University Medical Journal, 8(30), 222-226.

41]Sack A. (May 8, 2017). The birth of a mother. The new york times. Retrived from https://www.nytimes.com/2017/05/08/well/family/the-birth-of-a-mother.html

42] Singh, S., Jain, D. C., Singh, M., (2010). Determinants of utilization of Maternal and Child health services in a rural area of Uttar Pradesh, (India).Indian journal of maternal & child health, 12(4).

43] Stephanie brwen. (2018). Global advocacy initiative launches to understand and demand quality healthcare for women and girls. Washington D.C.: What Women Want.

44] Souza, J. P., Gulmezoglu, A. M., Carolli, G., Lumbiganon, P., Qureshi, Z., (2011). The world health organization multicountry survey on maternal and newborn health: study Protocol. BMC Health Services Research.

45] USAID from the American people, India’s Reproductive, Maternal, Newborn, Child, and Adolescent Health (RMNCH+A) Strategy. Retrived from https://www.mchip.net/sites/default/files/RMNCH+A%20in%20India.pdf

46] World health organization, maternal mortality, (16th February 2018), Retrived from http://www.who.int/en/news-room/fact-sheets/detail/maternal-mortality.

47] Yadavar, S. (2018, October 14). WHO commends India for achieving maternal mortality

goal; but health ministry statistics differ from UNDP targets. Firstpost.Retrived from https://www.firstpost.com/india/who-commends-india-for-achieving-maternal-mortality-goal-but-health-ministry-statistics-differ-from-undp-targets-4541561.html.

48] Zhang, W. H., Alexander, S., Bouvier-Colle, M., Macfarlane, A., the MOMS-B Group. (2005). Incidence of severe pre-eclampsia, postpartum haemorrhage and sepsis as a surrogate marker for severe maternal morbidity in a European population-based study: the MOMS-B survey. BJOG: an International Journal of Obstetrics and Gynaecology, 112, 89-96.